

MODEL: CASADIO ENEA On Demand Grinder
SKU: MLFCOZZB7999A

DATE _____
PROJECT _____
LOCATION _____

Excellent performance.
Easy maintenance.
Sturdy and reliable.
Elegant design.



FEATURES

- 64 mm grinding burrs
- Display to visualize the selected dose, the granulometry and maintenance checkup
- Double and single dose set electronically and independently
- Micrometric screw adjustment of grind setting; the value directly visible on display
- Micro-switch to protect baristas when the hopper is released



Optimal performance for day-to-day use.

The Enea On Demand by Casadio is a great grinder, with its 64 mm flat burrs and 2.65 lbs. bean hopper. The grinding process is all handled through the push button display, giving you complete control over how fine or coarse you want your coffee to be and the time of your shots. Removing the bean hopper is easy and safe, as the grinder automatically shuts off when you unscrew the micro-switch.

With the automatic grinder-doser Enea On Demand, the whole coffee beans are ground directly in the filter holder before the espresso is extracted. Simple, easy to use and precise, it grants a better in-the-cup aroma.





Programmable Dosing

A simplified grinding process. The programmed grinder features buttons where you can save timings for single and double shots. Once the correct dose is set, click the appropriate button and wait for the exact amount of espresso to be delivered.



Micrometrical Adjustment

With the micrometrical adjustment, the Enea On Demand coffee grinder is able to accomplish this quickly and with the kind of finesse you would expect to find in a premium quality coffee grinder.



Easy Maintenance and Upkeep

Whether you're an experienced barista who is familiar with working a coffee grinder, or a beginner who is just getting started with their coffee brewing, the Casadio Enea On Demand coffee grinder takes the guesswork out of maintenance and upkeep.





Delight your guests with the Enea On Demand. Its simplicity and consistency will ensure that you always serve a great coffee with limited staff training. By grinding directly into the porta-filter, you'll always be serving the freshest coffee possible.

ENEA ON-DEMAND	
Features	
Output kg/s	2
Hopper capacity (lbs)	2.2
Diameter burrs (mm)	64
Grind Speed (RPM)	1350
Technical Information	
Dimensions: Width x Depth x Height (in)	7.87 x 16.18 x 20.11
Weight (lbs)	21
Voltage/RPM	115-120V~ 60Hz 2.2 amps



Espresso Soci, Inc. reserves the right to modify the characteristics of the products illustrated in this publication without prior notice for misprints and other errors. There may be color deviations due to the printing process.





PESO NETTO NET WEIGHT	Kg	9.4
	pounds	20.7

MACINADOSATORE GRINDER / DISPENSER	ALIMENTAZIONE ELETTRICA POWER SUPPLY	POTENZA INSTALLATA INSTALLED POWER	SERVIZIO MOTORE DUTY CYCLE	CORRENTE DI LINEA LINE POWER	SEZIONE CAVO ALIMENTAZIONE SUPPLY CABLE SECTION
ENEA RE OD	220 - 240 V 50 Hz 220 V 60 Hz	360 W / 460 W	20 s ON / 400 s OFF	2.2 A	min. 3 x 0,75 mm ²
	110 - 120 V 60 Hz				3 x 14 AWG
	100 V 50-60 Hz	200 W			min. 3 x 1,25 mm ²
	220 V 60 Hz	460 W			min. 3 x 0,75 mm ²

INTERRUTTORE	- Omnipolare con distanza di apertura contatti 3 mm - Protezione da corrente di dispersione con valore pari a 30 mA	SWITCH	- Omnipolar, 3 mm opening contact distance - Protection from leakage current with a value equal to 30 mA
MESSA A TERRA	- Obbligatoria	GROUNDING	- Required